

Intimate Partner Violence (School-age)

Intimate Partner Violence (School-age)

- Most recent data (2014): 6% of King County youth attending public schools in the 8th,10th and 12th grades.
- Trend over time: 2006-14: falling
- Description: Activity limited by boyfriend/girlfriend in past 12 months
- Healthy People 2020 Goal: None listed for this indicator.

Intimate partner violence (school-age), King County, 2012 and 2014 average

	Percent	Lower CI	Upper CI
King County (school-age in 8th, 10th and 12th grades)	6	6	7
GRADE			
Grade 8	4	4	4
Grade 10	6	6	7
Grade 12	8	7	9
GENDER			
Male	5	5	6
Female	7	6	8
RACE/ETHNICITY			
AIAN	11	8	15
Asian	4	4	5
Black	8	6	9
Hispanic	7	6	8
Multiple	7	6	8
NHPI	8	6	12
White	6	6	7
Other	7	6	9
REGION			
East	5	5	6
North	6	5	7
Seattle	6	6	7
South	7	6	8
STATE			
Washington State	7	7	8

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Intimate partner violence (school-age) King County, 2012 and 2014 average



Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.


[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Data by income or poverty level not available.

**Intimate partner violence (school-age) by regions
King County, 2012 and 2014 average**



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.
N/A: Not available.

Intimate partner violence (school-age) King County, 2006-2014



Trends over time: King County (2006-14: falling); East KC (2006-14: falling); North KC (2006-14: falling); Seattle (2006-14: falling);
 South KC (2006-14: falling); Washington State (2006-14: falling)
 Prepared by Public Health - Seattle & King County, APDE, 08/2016.
 Source: Healthy Youth Survey.
 South KC (2006-14: falling); Washington State (2006-14: falling)

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
 08/16